C-STUDIO202s/203s/203sD

Our best ideas keep getting smaller.







E-STUDIO203SD



C-STUDIO2025

Fast, affordable, versatile, and *downright brilliant*.













We've packed all our latest digital technology into these small yet powerful multifunction devices. The Toshiba e-studio202S/203S/203SD combines copying, printing, color scanning, and optional faxing* in a single compact unit. Copy exceptional black and white output with 600 dpi image resolution at a rate of 20 pages per minute. Take advantage of standard USB printing and full color scanning. Ideal for small businesses/offices, home offices and personal use in medium/large corporation, these all-in-one multifunction systems are the perfect business solution.

Don't work harder. Work smaller.

With such a small footprint, these compact workhorses are ideal for office environments where space is limited and functionality is a must. In addition to a compact footprint, it conforms with leading eco standards like Energy Star program. The e-studio202S/203S/203SD deliver all the required business functions for today's fast paced office environment.

Time and time again.

You can count on Toshiba performance whenever and wherever you need it. Do you have a small workgroup filled with busy employees? No problem. A standard 250-sheet cassette and 50-sheet bypass tray can be upgraded with another 250-sheet cassette and 50-sheet Auto Document Feeder or Reverse Auto Document Feeder. The preventive maintenance cycle is 25K, with the toner yield at 8K and 25K for the developer and drum. Because the toner is user replaceable, cartridges can be exchanged quickly to reduce downtime.

Do more with less.

Streamline your workflow with Desktop Document Manager. Desktop Document Manager is a convenient scanning tool that converts both black and white and color documents into digital files that can be archived, emailed, or printed. OCR function converts images to editable file formats such as Microsoft Word and Excel. Scanned documents can also be displayed as thumbnails for easy viewing and searching.

The Toshiba e-studio202S/203S/203SD Series offers exceptional copying, printing and color scanning out of the box. So your work space might be limited, but your possibilities are endless.

*Optional faxing is only available with the e-studio203S and e-studio203SD.

Smart Configurations for the way you work. **Optional Reversing Auto Document Feeder** (203S/SD Only) **Optional** Auto Document Feeder (202S Only) Standard Platen Cover Other Available Options (203S/SD Only) Network Print/Scan Kit • Fax Kit • Postscript 3 Kit ESTUDIO203SD Standard 250-Sheet Cassette **Optional Paper Feed Unit** 250-Sheet Cassette e-studio203SD shown for configuration purposes. e-studio202S/203S not pictured.

e-studio202s/203s/203sd

The e-STUDIO202S/203S/203SD MFPs are the highly versatile, exceptionally affordable multifunction solutions for small businesses and workgroups. High quality printing and copying along with full color scanning and a wide variety of functions can be had from these amazingly compact desktop devices.

- 20 Pages Per Minute (203S/203SD)
- 20 Copies/15 Prints Per Minute (2028)
- First Copy Out at 8 Seconds
- Single 250-Sheet Cassette
- 50-Sheet Bypass Tray
- 600 dpi Image Resolution
- Scan Once Print Many (SOPM)

- GDI Printing
- Full Color Scanning
- Duplex Printing (203SD Only)
- Network Print/Scan Kit (203S/SD Only)
- Fax Kit (203S/SD Only)
- SRU (Service Replaceable Unit)

C-STUDIO202s/203s/203sD SPECIFICATIONS





Limited space, endless possibilities. When small businesses and workgroups think big, Toshiba provides the firepower to back them up. The e-STUDIO202S/203S/203SD Series offers fully featured copying, printing, color scanning and faxing* in a surprisingly compact footprint.

| BASIC COMPOSITION | |
|---|--|
| Туре | Desktop |
| Standard Functions | Copy / Print / PC Scan Color or Mono |
| Copying Process | Digital - Dry Electrostatic Transfer |
| Copy Resolution | 600 x 600 dpi |
| Copying Speed | 20 cpm (LT) |
| Copier Memory | 8MB (eS202S) / 64MB (eS203S/SD) |
| First Copy Out Time | 8.0 Seconds |
| Warm-Up Time | 25 Seconds / 0 Seconds "Ready On" |
| Acceptable Paper Size | Tray 1/2 - Letter, Legal, 5.5" x 8.5" (15 - 21 lbs) |
| | Bypass - Letter, Legal, 5.5" x 8.5" (15 - 34.5 lbs.) |
| Specialty Media | Bypass - Transparency and Envelopes |
| | (Commercial 10, Monarch, Int'l DL/C5) |
| Paper Supply | Standard 250-Sheet Cassette and 50-Sheet Bypass Tray |
| | Optional 2nd 250-Sheet Cassette |
| Document Feeder | Standard Platen Cover (All Models) |
| | Optional 50-Sheet ADF (eS202S Only) |
| | Optional 50-Sheet RADF (eS203S/SD Only) |
| Auto Duplex Unit | Standard (on e-STUDI0203SD Only) |
| Dimensions | 20.5" x 17.6" x 11.8" (All Models) |
| Weight | 36.5 lbs (eS202S) / 38.8 lbs (eS203S) / 40.3 lbs (eS203SD) |
| PM Cycle | 25K |
| Drum Yield | 25K |
| Developer Yield | 25K |
| | |
| Toner Yield | 8K |
| Toner Yield Power Supply | 8K 115V |
| | |
| Power Supply FEATURES Special Features | 115V |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) | - Manual Exposure Control |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many | - Manual Exposure Control - Toner Save Mode |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many | - Manual Exposure Control |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 | - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output | - Manual Exposure Control - Toner Save Mode - User Simulation |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure | - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features | Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer | 115V - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program - Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed | - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program - Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution | 115V 115V - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program - Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface | 115V - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program - Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support | 115V 115V - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program - Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL | Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) Certified |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL Duplex Printing | 115V 115V - Manual Exposure Control - Toner Save Mode - User Simulation - Energy Star Program - Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL Duplex Printing Scanning Features | Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) Certified Yes (eS203SD Only) |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL Duplex Printing Scanning Features Standard Full Color Scanning | Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) Certified Yes (eS203SD Only) 50 - 9600 dpi |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL Duplex Printing Scanning Features Standard Full Color Scanning Interface | Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) Certified Yes (eS203SD Only) 50 - 9600 dpi USB 2.0 |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL Duplex Printing Scanning Features Standard Full Color Scanning Interface Protocol | I15V Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) Certified Yes (eS203SD Only) 50 - 9600 dpi USB 2.0 TWAIN/STI/WIA (Windows XP/Vista Only) |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL Duplex Printing Scanning Features Standard Full Color Scanning Interface Protocol Scanning Utilities | Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) Certified Yes (eS203SD Only) 50 - 9600 dpi USB 2.0 TWAIN/STI/WIA (Windows XP/Vista Only) Desktop Document Manager, Button Manager |
| Power Supply FEATURES Special Features - Electronic Sort (eS203S/SD Only) - Scan Once Print Many - Duplex Printing (eS203SD Only) - 2 in 1 - Offset Output - Auto Exposure Printing Features Standard Printer Printing Speed Resolution Interface Operating System Support WHQL Duplex Printing Scanning Features Standard Full Color Scanning Interface Protocol | I15V Manual Exposure Control Toner Save Mode User Simulation Energy Star Program Continuous Copy Up to 99 GDI (eS202S) / SPLC (eS203S/SD) 15ppm (eS202S) / 20ppm (eS203S/SD) 600 x 600 dpi USB 2.0 Windows 2000 / XP / Vista (32 Bit only) Certified Yes (eS203SD Only) 50 - 9600 dpi USB 2.0 TWAIN/STI/WIA (Windows XP/Vista Only) |

| COPIER OPTIONS | | |
|--|---|--|
| MR2018 - Automatic Document Feeder (eS202S Only) | | |
| Feeder Capacity | 50-Sheet | |
| Original Size | 5.5" x 8.5", LT, LG | |
| Weight | 14 lbs to 23.9 lbs | |
| MR2019 - Reverse Automatic Document Feeder (eS203S/SD Only) | | |
| Feeder Capacity | 50-Sheet | |
| Original Size | 5.5" x 8.5", LT, LG | |
| Weight | 14 lbs to 23.9 lbs | |
| MY1034 - Paper Feed Unit (2 | nd Cassette) | |
| Feeder Capacity | 250-Sheet | |
| Original Size | 5.5" x 8.5", LT, LG | |
| Weight | 15 lbs to 21 lbs | |
| STAND120/150 - Copier Stan | d | |
| OTHER OPTIONS | | |
| | Print/Scan Kit (eS203S/SD Only) | |
| Print Speed | 20ppm | |
| Resolution | 600 x 600 dpi | |
| Interface | 10BaseT / 100BaseTX | |
| Memory | Std. 64MB | |
| PDL Emulation | PCL6/5e, Optional PS3 | |
| Network Protocol | TCP/IP, IPX/SPX, NeBEUI, EtherTalk | |
| Operating System | Windows 2000 / XP / Vista (32 Bit only), | |
| | Mac OS 9.x, 10.1 - 10.5 (with Optional PS3 Kit) | |
| Network Scanning | Color/Grayscale/Mono 2 Gradation | |
| Scanning Speed | Up to 2.88msec/line | |
| Scanning Type | Scan-to-Email / FTP / Desktop (Desktop Document Manager) | |
| Operating System | Windows 2000 / XP / Vista (32 Bit only) | |
| File Format | TIFF / PDF / JPEG | |
| Note: Duplex Scanning with RADF is NO | T Available on Network Scanning Function. | |
| GA1180 - PostScript 3 Kit (eS203S/SD Only - Required for Mac OS) | | |
| GD1300 - Fax Kit (eS203S/SD | · · | |
| Modem Speed | Super G33.6 Kbps | |
| Data Compression Type | JBIG / MMR / MR / MH | |
| Max Original Paper Size | LG | |
| Memory | 2 MB | |
| One Touch Dial | 18 Destinations | |
| Speed Dial | 100 Distinations | |
| Transmission Modes | Standard / Fine / SuperFine | |
| Duplex Transmission | Yes (With Optional RADF) | |
| *Optional faxing is only available with th | e e-studio203S and e-studio203SD. | |
| Designs and specifications subject to ch | ange without notice. For best results and reliable performance, always use supplies manu- | |

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates, based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.

Corporate Office: 2 Musick, Irvine, CA 92618-1631/ Tel: 949/462-6000 East Coast: 959 Route 46 East, 5th Floor, Parsippany, NI 07054 / Tel: 973/316-2700 Fax: 973/263-2393 Midwest: 8770 W. Bryn Mawr Ave., Suite 700, Chicago IL 60631 / Tel: 773/380-6000 Fax: 773/380-8077 South: 4855 Peachtree Industrial Blvd., Suite 210, Norcross, GA 30092 / Tel: 770/209-8540 Fax: 770/209-8556 West Coast: 142 Technology, Suite 150, Irvine, CA 92618 / Tel: 949/462-6262 Fax: 949/462-2700 Web Site: www.copiers.toshiba.com

AUTHORIZED TOSHIBA DEALER

